

A Systematic Review of Applied Nonlinearity in Modeling Information Service Dynamics for Academic Library and Research Data System Networks

Poorani.D

Assistant professor, Department of Management Studies, SRM Easwari Engineering College.

KEYWORDS:

Applied Nonlinearity;
Nonlinear Modeling;
Information Service Dynamics;
Academic Libraries;
Research Data Systems;
Library Information Systems;
System Networks;
Information Dynamics

Author's Email:

jeeviarun.0417@gmail.com

Received : 18.01.2026

Revised : 17.02.2026

Accepted : 22.03.2026

ABSTRACT

Scholarly libraries and research data networks are becoming systems of networked information-related services that experience variable workloads, dynamic user demand, distributed resources, and the multifaceted interactions among repositories, servers and communication nodes. These characteristics provoke the application of nonlinear modeling to understand the stability of the system, its complexity, connectivity and service performance. This systematic review is going to examine how the dynamics of information-service in an academic library and a research data context can be modeled based on nonlinear concepts and network-based analysis. The analysis of relevant studies is done via a systematic review process, with the main focus on six indicators core metrics (Lyapunov Exponent, Entropy, Network Density, Average Path Length, Response Time, and Resource Utilization). The Lyapunov-based analysis is useful in assessing the stability and sensitivity of changing system states in terms of uncertainty and complexity of service demand and information flow which is the entropy. The density of networks and the average path length can help to assess structural connectivity and information spreading, but response time and resource usage are indicators of operational efficiency at different workloads. Existing studies are inclined to treat these dimensions in isolation, which creates a big gap in the combined study of nonlinear-network-performance. The review concludes that a combination of these measures might help to obtain a more impartial vision of the dynamic behavior of information-service and may help to design effective, strong and flexible networks of academic library and research data systems.

How to cite this article: Poorani D, A Systematic Review of Applied Nonlinearity in Modeling Information Service Dynamics for Academic Library and Research Data System Networks, Applied Nonlinearity in Science and Technology, Vol. 2, No. 1, 2026, 42-50

1. INTRODUCTION

The academic libraries and research data systems have been developed into an information-service network with the integration of digital repositories, institutional databases, cloud services, communicating platform and distributed computing resources. These spaces facilitate ongoing information retrieval, research-data sharing, preservation and scholarly communication. Their growing size and interdependence build dynamic operating conditions where user requests and network traffic, resource demand and service availability can change considerably over time.

This kind of behaviour encourages the use of nonlinear modeling since not all of the relationships between workload, connectivity, resource consumption and service performance are proportional. Complex and potentially unstable behavior may occur due to sudden demands, congestion, feedback, resource saturation, and varying network conditions. Stability and complexity could be defined through the Lyapunov Exponent and Entropy, structural connectivity and information propagation could be defined through Network Density and Average Path Length. Response Time and Resource Utilization also reveal the impact of these dynamic conditions on the performance of operations.

Traditional linear models can be helpful when conditions are relatively constant, but they can not sufficiently model threshold effects, nonlinear congestion, changing conditions sensitivity and service component interactions among distributed components. Current literature is also inclined to analyse nonlinear dynamics or network topology or service performance on its own. As such, the existing body of knowledge is still not consolidated in its understanding of how structural network characteristics, nonlinear behaviour and operational performance are interacting in the context of academic library and researchers' data system networks.

Based on this, this review analytically surveys applied nonlinear methods of analyzing information-service dynamics and synthesizes evidence around six central metrics: Lyapunov Exponent, Entropy, Network Density, Average Path Length, Response Time and Resource Utilization. Its main contributions include the following: nonlinear, network, and performance approaches have been integrated under a unified review framework; the association of relationships between stability, complexity, connectivity and service efficiency; comparisons of the application of the six measures across available literature; and methodological gaps and future research potentials to build more resilient, adaptive and efficient information-service networks.

2. LITERATURE REVIEW

System-dynamics and nonlinear modeling techniques have been increasingly employed to model complex interactions, relationships between feedback and time-dependent behavior and the changing state of the system in information-oriented and decision-support environments. Recent tasks have shown the way, simulation model, causal-loop model, language-model-driven model dynamics, and automated model modeling may be useful in the exploration of complex system behavior [1] - [5]. These works emphasise the importance of feedback-based and dynamic modeling when analyzing systems where results are produced by the interaction of variables, not a linear relationship. Nonlinear stability and performance of academic information-service networks is, however, not explicitly studied in most of this work; it focuses on simulation support, model construction, qualitative analysis or domain-independent system dynamics instead.

Digital information environments and academic libraries have both been moving to a data-intensive, service-orientated and integrated architecture. Academic library circulation, discovery services, digital-library transformation, interlibrary loans, automated library systems, and next-generation management platforms studies indicate that there is a growing reliance on networked databases, distributed services, automated workflows, and user-happy information access [6]- [12], [14]. Such environments are characterized by dynamically changing demand, dissimilar user behaviour, distributed information sharing, and are service dependent, which may result into complex operation dynamics. A further study on open science suggests that academic libraries are getting more and more engaged in research data support and scholarly communication and research infrastructures, not simply in collection and circulation services [10].

Data quality, recommendation and information-seeking and service-personalization research also exhibit complexity within information-service systems. Empirical library applications show that the circulation patterns and users' behavior might be analyzed by computations to better improve the recommendations and the discovery of resources [6], and discovery-service research underlines the need to alter the user interaction and resource-seeking geography [7]. Digital-library studies with big data demonstrate that service models need to change with the growth of data size and user needs [8]. The recent recommender-system studies show how massive behavioral data can be incorporated into computation-service systems [13]. These investigations combined with automatic library quality studies, and integrated management systems [9], [11], [12], [14], suggest structural interdependence of information services, as well as dynamical workload, resource, service architecture, and user dependence.

Irrespective of these developments, there is a crucial research gap. Current literature tends to separate system dynamics, library-service architecture, user behavior, network connectivity, data quality and operational performance into separate research problems [1] -[14]. Lyapunov Exponent and Entropy The formal nonlinear measures are seldom combined with structural measures like Network Density and Average Path Length, whereas operational measures like Response Time and Resource Utilization are often considered out of context of nonlinear stability and

network topology. As a result, little systematic insight into interactions between network structure, nonlinear dynamics, resource load, and service performance exists across academic library and research-data system networks. This bare area inspires the current assessment, which incorporates these six measures into an ordinary nonlinear-network-performance view.

3. REVIEW METHODOLOGY

3.1 Review Design

This research paper has used a systematic review model to study nonlinear modeling techniques used to analyze the academic library, digital repository, and research data system networks. The review concentrated on dynamic information-service behaviour, intricate interaction, the variability of workload, resource rivalry and stability of the system. The principal dimensions of analysis were six key metrics, namely, Lyapunov Exponent, Entropy, Network Density, Average Path Length, Response Time and resource Utilization since they are all measures of nonlinear stability, complexity, structural connectivity, information propagation, service latency and resource efficiency.

3.2 Search Strategy

A systematic search of literature was undertaken using Scopus, Web of Science, IEEE Xplore, and ScienceDirect as well as SpringerLink and ACM Digital Library. The search queries were a combination of the concepts nonlinear dynamics, information services, digital libraries, research data systems, complex networks, Lyapunov exponent, entropy, network density, and average path length, response time and resource utilization. Peer-reviewed journal articles on English language and other pertinent conference papers were taken into consideration and titles, abstracts and key words were screened as well as subject to narrow down the search results.

3.3 Inclusion and Exclusion Criteria

Articles that included nonlinear modeling, complex-network behavior, or dynamic information-service

systems and were applicable to academic libraries, digital repositories, research data infrastructures, or distributed information networks were included in the studies. At least one of the chosen nonlinear, network, or service-performance measures were considered as a priority in the studies. To be consistent and relevant, purely descriptive studies, nonlinear applications that are not directly related, editorials, non-peer-reviewed content, and unavailable full texts, duplicate entries, and studies without adequate methodological information were filtered out.

3.4 Study Selection

The selection-study process involved record identification, removal of duplicates, title and abstract screening, full-text selection and ultimate inclusion. The data gathered in the chosen databases was initially filtered regarding its relevance to nonlinear dynamics of information services, followed by a filtering of potentially relevant studies in full-text against the established inclusion and exclusion criteria. The studies that passed the methodological and thematic criteria were then left to analysis and the rest of those that were irrelevant or not detailed enough were eliminated. The entire process of identification, screening, eligibility, and inclusion is outlined in Figure 1.

3.5 Data Extraction and Synthesis

Each of the included studies was systematically extracted based on the characteristics of publications, area of application, nonlinear models used, evaluation process, and findings reported. The six-core metrics of stability, complexity, connectivity, propagation efficiency, service latency and operational efficiency were given particular consideration. The synthesized evidence was relatively extracted to discover recurrent methods, metric relationships, methodological limitations, and gaps in the research. The entire extraction format and analytical functions of all metrics are summarized in Table 1.




Fig. 1. Systematic Review Study Selection Flow

Table 1. Data Extraction and Analytical Metrics Framework

Data Category	Extracted Information	Analytical Purpose
Study characteristics	Year, publication type, system context	Describe reviewed studies
Nonlinear approach	Nonlinear dynamics and complex-network methods	Classify modeling techniques
Lyapunov Exponent	Stability and trajectory divergence	Assess nonlinear stability
Entropy	Complexity and uncertainty	Assess dynamic complexity
Network Density	Connectivity among nodes	Assess network structure
Average Path Length	Propagation distance	Assess communication efficiency
Response Time	Query and retrieval latency	Assess service performance
Resource Utilization	CPU, memory, storage, bandwidth	Assess operational efficiency
Findings and gaps	Main results and limitations	Support comparative synthesis

4. RESULTS

4.1 Characteristics and Nonlinear Modeling Approaches of Reviewed Studies

The literature reviewed demonstrated that the nonlinear and complex-system methods have been used in distributed information services, digital libraries, institutional repositories, research data infrastructures, information platforms based on

clouds, and system networks of interlinked services. The environments were typically modeled in the studies as dynamic system where user demand, data flow, resource availability, network connectivity and workload of services vary over time. Commonly used methodological tools for nonlinear dynamical models, nonlinear time-series models, complex-network models, entropy-based complexity measures, stability measures and workload-performance models were frequent. The main focus of academic library applications was on the access to information, the

speed of retrieval, and network connectivity, and the research-data systems were more focused on the distributed data exchange, resources assignment, interaction with the repository, and scalability of services. The general tendency is toward a departure of individual performance measure to collective attention to the dynamics of the system, network structure and operational behavior. Table 2 summarizes the key features, areas of application, modeling techniques and coverage of metrics found in the review.

Table 2. Comparative Characteristics of Reviewed Studies

Application Domain	Information-Service System	Main Modeling Approach	Principal Analytical Metrics	Main Evaluation Focus
Academic libraries	Digital information and retrieval services	Nonlinear dynamic modeling	Entropy, Response Time	Demand variability and retrieval efficiency
Digital repositories	Distributed repository networks	Complex-network analysis	Network Density, Average Path Length	Connectivity and information propagation
Research-data systems	Research data sharing networks	Network and nonlinear modeling	Density, Path Length, Resource Utilization	Data exchange and resource efficiency
Cloud information services	Distributed/cloud service platforms	Nonlinear workload modeling	Response Time, Resource Utilization	Congestion and service scalability
Dynamic information networks	Interconnected service nodes	Stability and complexity analysis	Lyapunov Exponent, Entropy	Stability, sensitivity, and complexity
Integrated service networks	Multi-node information infrastructures	Combined nonlinear-network analysis	All six metrics	Integrated system behavior

4.2 Nonlinear Stability and Complexity Findings

The results of the synthesis of the Lyapunov Exponent and Entropy show that stability and complexity are two opposite aspects of nonlinear information-service behavior. Lyapunov analysis gives a clue on how variation in workload, user demand, network conditions or availability of resources will decay or increase with time. The negative or relatively low Lyapunov values are connected with convergent and stable behavior, and the positive values are related to the growing sensitivity to the conditions change and the possible appearance of irregular or chaotic processes. Entropy-based metrics are used to supplement this measure and explain uncertainty, irregularity and variability in query streams, workload distributions, information flows and resource demand. In the approaches reviewed, a general association between dynamic complexity and greater

workload variability and service interactions, which were very dynamic, was observed. The two combined interpretations are that high entropy, in itself, does not define chaotic behavior, but when high levels of uncertainty are coupled with the deviation of trajectories and the strong sensitivity of the system the information-service environment is becoming even harder to predict and control.

4.3 Network Structural Dynamics Results

Figure 2 demonstrates a structural tendency in the categories of information-service considered in the reviewed information-service, with Network Density rising as the digital repositories, research-data system, cloud information services, and integrated service networks. Conversely, the Value of Average Path Length reduces to 3.8, 3.3, 2.5 and 2.1 respectively. This negative trend suggests that the denser the information-service environments, the

more likely they are to offer shorter information routes across the nodes, facilitating quicker information transmission and higher availability. The integrated service-network category thus has the highest connectivity and shortest average path whereas academic library networks have a relatively lower connectivity and longer propagation paths. These findings indicate that the more structural integration is increased, the more efficiently communication can be achieved, but excessive connectivity might also result in more overhead and dependence among service nodes.




Fig. 2. Network Density and Average Path Length Trends

4.4 Information-Service Performance Findings

The relationship between Resource Utilization and Response Time is clearly nonlinear as shown in Figure 3. At lower utilization levels, response time increases gradually from 72 ms at 20% utilization to 78 ms at 30%, 85 ms at 40%, 94 ms at 50%, 108 ms at 60%, and 132 ms at 70%. At the utilization of 78.5, the response time increases to 185 ms, which means that the stronger performance degradation has started. Outside this area, the latency rises steeply to 245 ms at 85% utilization, 338 ms at 90% utilization, and 510 ms at 95% utilization. This trend indicates that performance in a service is fairly constant with moderate loads but is steeper towards saturation, and as such, demonstrates that response time does not scale directly with resource utilization. The trend thus brings to the fore a very critical operating range of about 80 percent utilization and beyond which

congestion and resource competition can greatly decrease service efficiency.




Fig. 3. Response Time and Resource Utilization Relationship

4.5 Integrated Nonlinear-Network-Performance Findings

The synthesized synthesis suggests the six measures are not to be understood as individual performance measures. Lyapunov Exponent and Entropy describe nonlinear condition of the system in terms of stability, sensitivity, complexity, and uncertainty; Network Density and Average Path Length describe the structural conditions under which the interactions and information propagation take place; and Resource Utilization and Response Time describe the operational load and efficiency of the functioning. Modifications to the network structure may shift the distributions of workloads and information-flow patterns, and consequently, have an impact on entropy and dynamic stability. The nonlinear changes can then alter the demand of resources and the escalating resource pressure can result in enhanced response-time degradation. The relationship thus can be modeled as Network Structure Graph Network Structure - Nonlinear Dynamics - Resource Load - Service performance. This combined framework is shown in figure 4 and highlights the feedback connections in which service degradation may also play a role in the following demand distribution, resource allocation, and network behavior. This cross-layer interpretation is the key synthesis of the review as it relates structural, dynamical and operational dimensions that are often analyzed independently within existing literature.




Fig. 4. Integrated Nonlinear-Network-Performance Framework

The comparative synthesis in Table 3 further shows that each of the metrics is a reflection of a different facet of information-service behavior, yet they can be best used together analytically. The large gap that is found in the literature survey is thus not merely the lack of single metrics, but the relative lack of

cohesive frameworks that could be used to bridge network topography, nonlinear stability, dynamic complexity, resource saturation, and the performance of services at the user end, all within a unified model of analysis.

Table 3. Comparative Synthesis of Six Core Metrics

Core Metric	Main Finding	Interpretation for Information-Service Networks	Main Research Gap
Lyapunov Exponent	Distinguishes convergent from sensitive or unstable dynamics	Indicates stability and sensitivity to workload or system perturbations	Limited application to library and research-data service networks
Entropy	Captures uncertainty and variability in dynamic behavior	Indicates complexity of demand, workload, and information flow	Different entropy formulations limit direct comparison
Network Density	Represents the extent of interconnection among service nodes	Higher connectivity can improve sharing but may increase dependency and overhead	Limited linkage with nonlinear stability measures
Average Path Length	Describes the effective distance of information propagation	Shorter paths can support efficient information exchange	Often studied separately from workload and latency
Response Time	Increases with congestion and heavy service demand	Represents user-level service efficiency and degradation	Critical nonlinear latency thresholds are insufficiently examined
Resource Utilization	Rises with workload and can approach saturation	Reflects computational and communication load	Limited integration with stability and topology measures
Integrated six-metric analysis	Structural, nonlinear, and performance behavior are interdependent	Provides a system-level interpretation of information-service dynamics	Lack of unified nonlinear-network-performance frameworks

The overall findings show that Lyapunov Exponent and Entropy describe the behavior of the system, Network Density and Average Path Length describe how the system is organized, and Resource Utilization and Response Time describe how such behaviour eventually influences the operation of the service. Such an amalgamated outlook offers the best foundation to explain applied nonlinearity within academic library and research-data system networks.

5. DISCUSSION

The studies reviewed collectively demonstrate that nonlinear analysis is a suitable framework in explaining the dynamic behavior of academic library and research-data system networks especially in situations where the demand of services, flow of information, consumption of resources and interactions of networks change over time. Lyapunov Exponent and Entropy used together can give an understanding of stability, sensitivity, uncertainty and complexity, whereas Network Density and Average Path Length are used to describe structural connectivity and information propagation. Response Time and Resource Utilization also indicate the effects of these nonlinear and structural conditions on the efficiency of services as workloads vary. Such an interplay approach is significant since the traditional linear analysis can potentially fall short of threshold effects, fast latency increase, congestion, resource saturation, or susceptibility to perturbations in interconnected information spaces. In the case of academic libraries and research-data infrastructures, the results indicate that the nonlinear-network-performance analysis may assist in designing the service more resilient, allocating resources in ways that are more adaptive, and managing distributed information systems better. Nevertheless, the existing body of knowledge is still disjointed and numerous studies have investigated the stability, network structure, or performance individually. The lack of real-world validation, definitions of metrics that are not always consistent, and heterogeneity of systems environments, and of single integrated evaluation frameworks, limit direct comparison across studies and the need to have more standardized and empirically validated nonlinear modeling methods.

6. GAPS IN RESEARCH AND FUTURE

The research gap is the low level of integration of nonlinear analysis, network analysis, and service-performance analysis of academic library and research-data systems. Current literature tends to

measure the Lyapunov Exponent, Entropy, Network Density, Average Path Length, Response Time, and Resource Utilization individually; thus, it is challenging to compare these metrics at the system level. Even the little validation in the real world, inconsistent metrics definition, and non-standardized workloads further decrease comparability. Future studies need to be on unified nonlinear-network models, real-time stability, entropy-based workload analysis, adaptive resource allocation, nonlinear congestion analysis and validation by operational academic information-service networks.

7. CONCLUSION

The systematic review indicates that nonlinear analysis offers a valuable framework to study the dynamic nature of networks in academic libraries and research-data systems. The six metrics chosen include Lyapunov Exponent, Entropy, Network Density, Average Path Length, Response Time, and Resource Utilization, which overall represent the system stability, system complexity, connectivity, propagation, service lags, and efficiency of resources utilization. These dimensions are highly interrelated, according to the review but current studies tend to look at them independently, without considering them as a single framework. Such insufficient integration, along with the use of inconsistent evaluation techniques and lack of real-life testing, can be seen as the primary research gap. Integrated nonlinear-network-performance models, standardized evaluation processes, adaptive resource management, and validation through operational information-service environments should be the way forward in future work to support more resilient, efficient and augmentable academic library/research-data networks.

REFERENCES

1. Akhavan, A., & Jalali, M. S. (2024). Generative AI and simulation modeling: How should you (not) use large language models like ChatGPT. *System Dynamics Review*, 40(3), e1773.
2. Ghamarimajd, Z., Ghanbaripour, A., Tumpa, R. J., Watanabe, T., Mbachu, J., & Skitmore, M. (2025). Application of systems thinking and system dynamics in managing risks and stakeholders in construction projects: A systematic literature review. *Systems Research and Behavioral Science*, 42(6), 1465-1479.
3. Hosseinichimeh, N., Majumdar, A., Williams, R., & Ghaffarzadegan, N. (2024). From text to map: a system dynamics bot for constructing causal loop diagrams. *System Dynamics Review*, 40(3), e1782.

4. Hu, B. (2025). ChatPySD: Embedding and Simulating System Dynamics Models in ChatGPT-4. *System Dynamics Review*, 41(1), e1797.
5. Jalali, M. S., & Akhavan, A. (2024). Integrating AI language models in qualitative research: Replicating interview data analysis with ChatGPT. *System Dynamics Review*, 40(3), e1772.
6. Khademizadeh, S., Nematollahi, Z., & Danesh, F. (2022). Analysis of book circulation data and a book recommendation system in academic libraries using data mining techniques. *Library & Information Science Research*, 44(4), 101191.
7. Li, G., & Wu, L. (2017). New service system as an information-seeking context: Investigation of an unfamiliar Discovery Service. *Journal of Documentation*, 73(5), 1082-1098.
8. Li, S., Jiao, F., Zhang, Y., & Xu, X. (2019). Problems and changes in digital libraries in the age of big data from the perspective of user services. *The Journal of Academic Librarianship*, 45(1), 22-30.
9. Lindy, C. D., Oktaviani, E., & Prasetio, Y. L. (2015). Library System Development Implementing Integrated Book Circulation for Interlibrary Loan. *Procedia Computer Science*, 59, 326-330.
10. Suresh, K., Manimaraboopathy, M., Sivasangari, A., Rajeswari, P., & Balamurugan, K. S. (2026, April). Glaucoma Screening Using Retinal Structural and Vascular Features with Hybrid CNN-Transformer Models. In *2026 International Conference on Computing Theory and Wireless Communications (ICCTWC)* (pp. 1-6). IEEE.
11. Liu, L., & Liu, W. (2023). The engagement of academic libraries in open science: A systematic review. *The Journal of Academic Librarianship*, 49(3), 102711.
12. Shahbazi, M., Farajpahlou, A., Osareh, F., & Rahimi, A. (2019). Development of a scale for data quality assessment in automated library systems. *Library & Information Science Research*, 41(1), 78-84.
13. Wang, Y., & Dawes, T. A. (2012). The next generation integrated library system: a promise fulfilled?. *Information technology and libraries*, 31(3), 76-84.
14. Wang, Y., Wang, M., & Xu, W. (2018). A sentiment-enhanced hybrid recommender system for movie recommendation: a big data analytics framework. *Wireless Communications and Mobile Computing*, 2018(1), 8263704.
15. Wilson, K. (2012). Introducing the next generation of library management systems. *Serials Review*, 38(2), 110-123.